

#ACOUSTIC

Lillstugan

Environments characterized by chaos and interruptions often lack focus, leading to diminished productivity and creativity.

A dedicated space for focus, offering a serene and comfortable environment, tackles these issues efficiently








Personal Focus Space

Optimized for reading, working, studying or hobbies **Be focused.**

STC 25dB (±3dB) & RT0.25s (±0.1s)

Maintaining a quiet environment that is made for concentration, learning, thinking and reading, is vital for progress in stressful situations.

Acoustic Index




Speech Intelligibility 1

Frequency Response 2


Reverberation Time Test ③

Sound Insulation Test (4)





Environmental Friendly



Lillstugan can be easily relocated within minutes.

By adjusting the levelling legs, the castors can seamlessly take over and transport the Lillstugan to any desired location

The castors are attached securely to the steel base panel, capable of supporting up to 100kg.

Flexibility




Every aspect is taken into account with Lillstugan, including top-notch acoustic technology, versatility, and safety features.

Each element is carefully though out to enhance the looks of your environment.

In addition, the assembly process can be finished within just 30 minutes.

Easy to Install



Lillstugan Furniture

Equipped with all the essentials, including a soft couch, sturdy tabletop, bright LED-lamp, powerful power socket, and built-in ventilation, the "Cottage POD" contains everything you need.

The PIR motion sensor is designed to conserve energy by automatically shutting off when no movement is detected for 5 minutes



Lillstugan #Acoustic

External Finish

6063-T5 aviation aluminum door frame; Overall cladding technology sound-insulation cloth; Supported by 15 + 15mm carbon polymer panels and a steel frame at the bottom, equipped with movable casters

Interior Finish

9mm thick polyester fiber sound absorption panel + wrap technology acoustic fabric

Specification size

[External] W1100*D900*H2100MM [Internal] W990*D800*H1950MM [Weight] 200KG [Weight capacity] 100KG



Made of 3 types of boards:

5mm carbon polymer panels on both sides and the back, 30mm honeycomb panels on the top.



Lighting

4000K (150Lx) Daylight LED lighting brightness adjustable

Floor

full pavement technology sound-absorbing carpet

Door

6063-T5 aviation aluminum frame, 3mm+3mm super white laminated acoustic glass

Desk

Multi-layer solid wood board desktop (desktop height can adjust 700 to 750mm from the base panel), desktop size W760*380*30mm

Hinges concealed heavy-duty hinges


Ventilation volume 30 m3 of fresh air circulated every hour, equipped with Turbo fresh air system

Motion sensor

infrared human body sensor, powers off after 5 minutes of inactivity

Power socket

the number of sockets in the Lillstugan can meet daily usage needs (five holes sockets with USB)









Lillstugan# Acoustic

Lighting

4000K (150Lx) Daylight LED lighting brightness adjustable

Floor

full pavement technology sound-absorbing carpet

Door

6063-T5 aviation aluminum frame, 3mm+3mm super white laminated acoustic glass

Desk

Multi-layer solid wood board desktop (desktop height can adjust 700 to 750mm from the base panel), desktop size W760*380*30mm

Hinges concealed heavy-duty hinges

Ventilation volume 30 m3 of fresh air circulated every hour, equipped with Turbo fresh air system

Motion sensor


infrared human body sensor, powers off after 5 minutes of inactivity

Power socket

the number of sockets in the Lillstugan can meet daily usage needs (five holes sockets with USB)









Lillstugan# Acoustic